



## Biosafety Level 2 Checklist (BSL-2)

Reference: CDC BMBL/ 5<sup>th</sup> Edition, NIH Guidelines, Sep 09

<b>Building &amp; Room:</b>	<b>Inspector:</b>
<b>P.I.:</b>	<b>Inspection Date:</b>
<b>Laboratory Contact:</b>	
<b>PI Signature:</b>	

Biosafety Level 2	Yes	No	N/A	Comments (additional space on p.2)
<b>A. Standard/Special Microbiological Practices</b>				
1. Does the Principal Investigator (PI) establish and enforce policies that control access to the lab?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a. Are lab doors self-closing and have locks in accordance with university policies?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3. Is eating, drinking, storing food, applying cosmetics, etc., permitted in the lab?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Food must be stored outside the lab area</b>
4. Is mouth pipetting prohibited? Are mechanical pipetting devices used instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5. Are policies for the safe handling of sharps, such as needles, scalpels, pipettes, and broken glassware developed and implemented?				

**a.**



